2110 BM 1/3



PRODUCT-DETAILS

## 2110 BM

## Switch intermediate Intermediate switch with Glow lamp Ivory - Stylo



| General Information             |  |
|---------------------------------|--|
| Extended Product Type           | 2110 BM  |
| Product ID                      | 2CLA211000A1003  |
| EAN                             | 8427238035178  |
| Catalog Description             | Switch intermediate Intermediate switch with Glow lamp Ivory - Stylo       |
| Long Description                | 10 A, 127 - 250 V <sup>∼</sup> .<br>Lit with neon lamps ref. 2191 and 2192 |
| Installation                    |  |
| Instructions and Manuals        | 0.01/1/109460.0.6200   |
|                                 | 9AKK108469A6200  |
| Mounting Type Type of Fastening | Flush mounted (plaster)  Engage (Snap)                                     |
|                                 |  |
| Environmental                   |  |
| Ambient Air Temperature         | Operation -5 +35 °C<br>Storage -5 +50 °C                                   |
| Degree of Protection            | IP20   |

2110 BM 2/3

| Technical                         |  |
|-----------------------------------|--|
| Function                          | Function lighting: Orientation   |
| Number of Rocker                  |  |
| Switches                          |  |
| Wiring Configuration              | Intermediate switch  |
| Actuator Type                     | Rocker/buttor  |
| Connection Type  Lamp Type        | Plug Clamp<br>Glow lamp  |
| Illumination                      | Optiona  |
| Number of Batteries               | 0  |
|                                   |  |
| Electrical                        |  |
| Rated Voltage (U <sub>r</sub> )   | 250 V  |
| Rated Current (I <sub>n</sub> )   | 10 A   |
| Maximum Switching                 | Fluorescent Lamps 10   |
| Current                           | Theoretical Parties To   |
| Design                            |  |
|                                   | Stylo  |
| Design Range<br>Surface Finishing | Untreated  |
| Surface i misning                 | Glossy   |
| Material                          | Duroplast<br>Plastic   |
| Label Space Provided              | No   |
| Color                             | Ivory  |
| Dimensions                        |  |
| Product Net Width                 | 22 mm  |
| Product Net Height                | 44 mm  |
| Product Net Weight                | 0.025 kg   |
| Ordering                          |  |
| Replaced Product ID (OLD)         | 2CLA211000A1001  |
|                                   |  |
| Material Compliance               |  |
| RoHS Information                  | 2CLC211000A1003  |
| RoHS Status                       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Conflict Minerals                 | 9AKK108468A3363  |
| Reporting Template<br>(CMRT)      |  |
| Certificates and Declarations     |  |
|                                   |  |
| Declaration of Conformity - CE    | No declaration needed  |
|                                   |  |
| Classifications                   |  |
|                                   |  |

2110 BM 3/3

 ETIM 9
 EC001590 - Installation switch

 UNSPSC
 39122226

 WEEE Category
 5. Small Equipment (No External Dimension More Than 50 cm)

 WEEE B2C / B2B
 Business To Consumer

## Categories

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Wiring Accessories - Light Switch Ranges} \rightarrow \mbox{Cover Plates and Control Elements} \rightarrow \mbox{Mechanical Controls}$ 

